

Curatif essence / Gasoline curative treatment

Fuel additive

USES

Specially designed to clean fuel injection air intake systems on gasoline powered cars.

Using this fuel treatment on a regular basis helps keep the fuel system clean (carburettor, single-point and multi-point injection systems).

MAIN PHYSICAL DATA

	Method	Units	Values
Appearance	Visual		Limpid
Color	Visual		Yellow
Density at 20°C	ASTM D4052	kg/m2	770

The data given in this table represents typical production values and should not be taken as specifications.

PROPERTIES & ADVANTAGES

- Removes carbon deposits, harmful gums and varnishes that can clog internal passages.
- ► Maintains the efficiency of the idle speed.
- ▶ Suitable for all types of gasoline engines, with or without a catalytic converter.
- ▶ Helps to reduce fuel consumption by up to 15% in urban traffic.

INSTRUCTIONS FOR USE

- Pour one dose (250ml) in the tank (+/- 50L) before filling up.
- For motorcycle use, it is even more effective to use it as a half dose before filling up. Repeat on 2 refueling for a prolonged treatment.
- Repeat the operation regularly, each time your vehicle is serviced.
- When the additive is poured into the tank, it must be consumed immediately. Avoid prolonged storage of the treated fuel
- The additive may also be used by aspiration before setting the idle speed, in accordance with the manufacturer's recommendations.

YACCOLINE











youtube.com

